

The background of the cover is a photograph of a building's exterior, featuring dark grey horizontal siding and a window with a wooden frame. A bright green geometric shape is in the top left corner, and a large green triangle with a diamond pattern is in the bottom left. A dark grey diagonal band runs from the bottom right towards the center.

Doors & Windows

2013

DECPROD.COM.AU



**Decorative
Building
Products**

don't risk installing
inferior products
in your home


COMPANY



Live in Australia ?

Then your just around the corner. Over many years we have developed a network of professional furniture carrier to deliver our products Australia wide.

We deliver Weekly to Nth NSW towns ,Sydney, Newcastle, Melbourne Fortnightly to Canberra A.C.T and Adelaide. Perth on application



We only employ fully qualified tradesmen to produce our products. Unlike suppliers of imported products from Asia our product is made in Australia for Australian conditions by Australian workers. Insuring that any product you receive is made from the best quality timber using traditional mortice and tenon construction. We also have a policy to employ and train young apprentices.

Timber Options

Not only do we manufacture your product to your exact requirements but we also give a choose of quality A Grade kiln dried timber species for external applications there are a number of suppliers supplying imported products that are not suitable for external application i.e. Meranti , Pacific maple etc

Glazing Options

We also offer a full range of glass options that comply with current energy efficiency requirements i.e. LowE , Double glazed units and insulated glass options.

Ordering Process

We will supply you with a detailed Itemised estimate on request so adding and changing products is an easy process to follow unlike lump sum estimates as you may have experienced when you want change an items it is always expensive and when you delete an item it is very cheap. Once you wish to go forward with you order we will send you a works order that relates to the estimate as well as a detailed CAD drawing of each product on the works order for your signed approval before we commence manufacture.



WHY DECORATIVE BUILDING PRODUCTS?

Order Process

When you go forward with your estimate form with us we will issue you with a works order for same and prepare a full set of CAD drawing for your approval these drawings will need to be checked and confirmed by your contractor or tradesman to ensure all the detail is correct. When confirmed a copy of these drawings is issued into our workshop system so the drawings your contractor is working with is the same as our tradesmen are producing from. What you see on your drawings is what will be delivered to you.

Timber Options

This is how your bifold door starts. We source and supply only A grade Timbers for our joinery products manufacturing. All timbers are rated as Durability class 2 and above to insure your joinery stands the test of time.

Durability class 2 timbers have a life expectancy when properly maintained of up to 40 years in exposed applications. Lesser classes of timber can range from 5 to 7 years in the same application Timber chooses:

Surian Red Cedar (Toona Ciliata)
NG Rosewood (Fabaceae) Kwila (Intsia Bijuga)suitable for external application i.e. Meranti , Pacific maple etc

Manufacturing

Once you have selected the timber you require our fully qualified timber joiners proceed to manufacture your new bifold door unit. Timber is selected and prestraightened , mortice and tenoned, assembled , fine sanded , glazed with your choose of glazing before being hung in the required frame as per your confirmed shop drawings .

When you purchase one of our quality bifold door units you will receive the best available hardware available on the market. With a number of suppliers now developing and marketing systems in the market it is hard for the average home owner to understand the pro's and con's of the different systems. We have been manufacturing and supplying bifolding door units into the building market since 1999 and have tried most systems in that time. You can be assured that we will supply the most technically advanced systems available to insure our quality timber work is not let down by using cheap inferior hardware hanging products.

We insure all our hardware is tested to Australian standards and constructed in stainless steel for longevity. Our system is fitted with AQ48 Schlegel compression kerf seals between every door and around perimeter door stops.



FRENCH

DESIGN OPTIONS

Our french doors are constructed using traditional stub mortise and tenon construction all glazing bar work is also mortise and tenon. This form of construction is the traditional construction method for timber joinery and even using today's technology it is still the proven way to build a door or window sash that will stand the test of time.

Door components are our standard components. However they can be sized to suit your requirements.

To comply with AS 1288 all our doors are glazed in A Grade clear Safety toughened glass.

A full range of energy efficient glazing options is available to meet your requirements



FD1



FD2



FD3



FD3HS



FD4



FD5



FD5HS



FD7



FD8



FD8HS



FD9



FD10

don't risk installing
inferior products
in your home

PANELLED FRENCH

Our panelled french doors are constructed using traditional stub mortise and tenon construction all glazing bar work is also mortise and tenon. This form of construction is the traditional construction method for timber joinery and even using today's technology it is still the proven way to build a door or window sash that will stand the test of time.



DESIGN OPTIONS



1LPFDLW

1LPFDLW

2LPFD

3LPFD




3LPFDHS

4LPFD

5LPFDHS

3LPFDHS

PANEL OPTIONS



SSFP
STANDARD


BSFP
OPTIONAL

MSFP
OPTIONAL

BSRP
OPTIONAL

BSRPFP
OPTIONAL

BMSFPRP
OPTIONAL



*Low waist available with all glazing designs


TRADITIONALS

Our traditional entry doors are constructed using traditional stub mortise and tenon construction. This form of construction is the traditional construction method for timber joinery and even using today's technology it is still the proven way to build a door or window sash that will stand the test of time.

DESIGN OPTIONS



PANEL OPTIONS



SSFP
STANDARD

BSFP
OPTIONAL

MSFP
OPTIONAL

BSRP
OPTIONAL



BSRPFP
OPTIONAL

BMSFPRP
OPTIONAL

MODERN ENTRY

DESIGN OPTIONS


Our traditional entry doors are constructed using traditional stub mortise and tenon construction. This form of construction is the traditional construction method for timber joinery and even using today's technology it is still the proven way to build a door or window sash that will stand the test of time.




GLASS TOPS

DESIGN OPTIONS

Our glass top panel doors are constructed using traditional stub mortise and tenon construction all glazing bar work is also mortise and tenon. This form of construction is the traditional construction method for timber joinery and even using today's technology it is still the proven way to build a door or window sash that will stand the test of time.



PANEL OPTIONS



SSFP
STANDARD

BSFP
OPTIONAL

MSFP
OPTIONAL

BSRP
OPTIONAL

BSRPFP
OPTIONAL


BMSFPFP
OPTIONAL

BIFOLD CONFIGURATIONS


Our glass top panel doors are constructed using traditional stub mortise and tenon construction all glazing bar work is also mortise and tenon. This form of construction is the traditional construction method for timber joinery and even using today's technology it is still the proven way to build a door or window sash that will stand the test of time.

BIFOLD CONFIGURATIONS


2



3




4




5




6



6




7



CASEMENT WINDOWS




DESIGN OPTIONS




CASE 1




CASE 2



CASE 3



CASE 4



CASE 5

Casement windows are the most traditional and most functional of all window designs. Designed especially to direct the prevailing breezes into to you living areas.

Fitted with our pull down retractable screens you will be more than pleased with purchase.

Our sashes are hung on quality Bristol satin stainless friction stays that insures you will get many trouble free years from our units

With a selection of glazing bar design options for sashes, all our windows can be built to BAL bushfire rating on request.

DESIGN OPTIONS



1L

2L

3LHS

3L




4L

5LHS

6L

8L

BIFOLD DETAILS



DBP